



GE
Lighting



-1

kWh/1000h

A

energy class

80

lumens/watt

Discharge - Single Ended Cold Start

CSR 575/2/SE

69064

Product information

Compact, single ended metal halide cold start lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering Ra from 70 – 90+- High CCT 7200 - 9000 K with superior colour stability -Universal burn position -Dimmable with stable colour- High efficiency with excellent lumen maintenance .

Application areas



Event and Tour



Product data

Cap/Base	GX9.5
Bulb Shape	Tubular
Bulb Finish	Clear
Bulb Diameter [mm]	30
Bulb maximum overall diameter [mm]	31
Nominal Length [mm]	125
Maximum Overall Length [mm]	125
Light Center Length [mm]	65
Arc Gap	7
Net weight per piece [g]	57
Gross weight per piece [g]	850
Operating position	U - Universal
Mercury Content [mg]	80
UV radiance	RG-3
RoHS compliant	Yes
Brand	General Electric (GE)

Performance data

Colour Code	672
Colour Rendering Index (CRI) [Ra]	65
Nominal correlated colour temperature (CCT) [K]	7200
Nominal lumens [lm]	46000
Rated Lumens [lm]	46000
Lumen at 25°C [lm]	46000
Nominal Initial Lumens per Watt [lm/W]	80
Rated efficacy [lm/W]	80
Energy efficiency class (EEC)	A
Rated average life [h]	1000
Rated Life [h]	1000
Rated life (Hor) [h]	1000
Rated life (Vert) [h]	1000
Nominal life [h]	1000
Nominal chromaticity coordinate X	0.302
Nominal chromaticity coordinate Y	0.32

Electrical data

Nominal power [W]	575
Rated power [W]	575.0
Lamp Power	575
Nominal lamp power factor	0.03
Wattage (Complete lamp) [W]	575
Nominal lamp voltage [V]	97
Ignition Voltage	2.5
Lamp Current [A]	5.9
Starting time (sec)	20
Dimming Capability	No
Ballast Required	Yes

Logistic data

DUN Code	10043168690642
EAN Code	0043168690645
Pack Quantity	10
Inner pack type	BOX
Outer pack type	BOX
Layer quantity EUR	250
Layer quantity UK	320
Pallet quantity EUR (PC)	2250
Pallet quantity UK (PC)	2880
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination